

May 18, 2021

Mark Wixson
Vernon-Sherrill CSD
5275 State Rt
Verona, NY 13478

RE: Project: WETTEL ELEMENTARY 4/28
Pace Project No.: 70172378

Dear Mark Wixson:

Enclosed are the analytical results for sample(s) received by the laboratory on May 10, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kimberley M. Mack
kimberley.mack@pacelabs.com
(631)694-3040
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: WETTEL ELEMENTARY 4/28

Pace Project No.: 70172378

Pace Analytical Services Long Island

Virginia Certification # 460302

Delaware Certification # NY10478

Delaware Certification # NY10478

575 Broad Hollow Rd, Melville, NY 11747

New York Certification #: 10478 Primary Accrediting Body

New Jersey Certification #: NY158

Pennsylvania Certification #: 68-00350

Connecticut Certification #: PH-0435

Maryland Certification #: 208

Rhode Island Certification #: LAO00340

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WETTEL ELEMENTARY 4/28
Pace Project No.: 70172378

Sample: WE 1		Lab ID: 70172378001	Collected: 04/28/21 13:01	Received: 05/10/21 11:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.9	ug/L	1.0	1		05/17/21 17:36	7439-92-1	
Sample: WE 4		Lab ID: 70172378002	Collected: 04/28/21 13:03	Received: 05/10/21 11:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	15.5	ug/L	1.0	1		05/17/21 17:38	7439-92-1	
Sample: WE 5		Lab ID: 70172378003	Collected: 04/28/21 13:05	Received: 05/10/21 11:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	4.2	ug/L	1.0	1		05/17/21 17:39	7439-92-1	
Sample: WE 6		Lab ID: 70172378004	Collected: 04/28/21 13:06	Received: 05/10/21 11:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	3.4	ug/L	1.0	1		05/17/21 17:40	7439-92-1	
Sample: WE 7		Lab ID: 70172378005	Collected: 04/28/21 13:07	Received: 05/10/21 11:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.3	ug/L	1.0	1		05/17/21 17:41	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WETTEL ELEMENTARY 4/28
Pace Project No.: 70172378

Sample: WE 8	Lab ID: 70172378006	Collected: 04/28/21 13:08	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.1	ug/L	1.0	1		05/17/21 17:44	7439-92-1	
Sample: WE 9	Lab ID: 70172378007	Collected: 04/28/21 13:09	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	4.4	ug/L	1.0	1		05/17/21 17:45	7439-92-1	
Sample: WE 10	Lab ID: 70172378008	Collected: 04/28/21 13:10	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	9.4	ug/L	1.0	1		05/17/21 17:46	7439-92-1	
Sample: WE 12	Lab ID: 70172378009	Collected: 04/28/21 13:12	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.5	ug/L	1.0	1		05/17/21 17:47	7439-92-1	
Sample: WE 13	Lab ID: 70172378010	Collected: 04/28/21 13:13	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.5	ug/L	1.0	1		05/17/21 17:47	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WETTEL ELEMENTARY 4/28
Pace Project No.: 70172378

Sample: WE 14	Lab ID: 70172378011	Collected: 04/28/21 13:14	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	4.1	ug/L	1.0	1		05/17/21 17:48	7439-92-1	
Sample: WE 15	Lab ID: 70172378012	Collected: 04/28/21 13:15	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.6	ug/L	1.0	1		05/17/21 17:51	7439-92-1	
Sample: WE 16	Lab ID: 70172378013	Collected: 04/28/21 13:16	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.7	ug/L	1.0	1		05/17/21 17:52	7439-92-1	
Sample: WE 17	Lab ID: 70172378014	Collected: 04/28/21 13:17	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	5.0	ug/L	1.0	1		05/17/21 17:55	7439-92-1	
Sample: WE 19	Lab ID: 70172378015	Collected: 04/28/21 13:19	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.1	ug/L	1.0	1		05/17/21 17:56	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WETTEL ELEMENTARY 4/28
Pace Project No.: 70172378

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Sample: WE 20 (BOTTLE FILTER)		Lab ID: 70172378016	Collected: 04/28/21 13:18	Received: 05/10/21 11:40	Matrix: Drinking Water			
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		05/17/21 17:56	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Sample: WE 22		Lab ID: 70172378017	Collected: 04/28/21 13:27	Received: 05/10/21 11:40	Matrix: Drinking Water			
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	7.3	ug/L	1.0	1		05/17/21 17:57	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Sample: WE 23		Lab ID: 70172378018	Collected: 04/28/21 13:28	Received: 05/10/21 11:40	Matrix: Drinking Water			
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	14.3	ug/L	1.0	1		05/17/21 17:58	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Sample: WE 24		Lab ID: 70172378019	Collected: 04/28/21 13:29	Received: 05/10/21 11:40	Matrix: Drinking Water			
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	5.5	ug/L	1.0	1		05/17/21 17:59	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Sample: WE 25		Lab ID: 70172378020	Collected: 04/28/21 13:30	Received: 05/10/21 11:40	Matrix: Drinking Water			
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	5.7	ug/L	1.0	1		05/17/21 18:00	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WETTEL ELEMENTARY 4/28

Pace Project No.: 70172378

Sample: WE 26	Lab ID: 70172378021	Collected: 04/28/21 13:32	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/17/21 18:03	7439-92-1	
Sample: WE 27	Lab ID: 70172378022	Collected: 04/28/21 13:33	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/17/21 18:07	7439-92-1	
Sample: WE 28	Lab ID: 70172378023	Collected: 04/28/21 13:35	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	4.2	ug/L	1.0	1		05/17/21 18:08	7439-92-1	
Sample: WE 29	Lab ID: 70172378024	Collected: 04/28/21 13:38	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	8.8	ug/L	1.0	1		05/17/21 18:09	7439-92-1	
Sample: WE 30	Lab ID: 70172378025	Collected: 04/28/21 13:42	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	5.7	ug/L	1.0	1		05/17/21 18:10	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WETTEL ELEMENTARY 4/28
Pace Project No.: 70172378

Sample: WE 31	Lab ID: 70172378026	Collected: 04/28/21 13:43	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	12.2	ug/L	1.0	1		05/17/21 18:11	7439-92-1	

Sample: WE 32	Lab ID: 70172378027	Collected: 04/28/21 13:45	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	9.2	ug/L	1.0	1		05/17/21 18:12	7439-92-1	

Sample: WE 33	Lab ID: 70172378028	Collected: 04/28/21 13:46	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	14.5	ug/L	1.0	1		05/17/21 18:13	7439-92-1	

Sample: WE 34	Lab ID: 70172378029	Collected: 04/28/21 13:47	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	37.9	ug/L	1.0	1		05/17/21 18:13	7439-92-1	

Sample: WE 35	Lab ID: 70172378030	Collected: 04/28/21 13:48	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	44.4	ug/L	1.0	1		05/17/21 18:16	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WETTEL ELEMENTARY 4/28
Pace Project No.: 70172378

Sample: WE 36	Lab ID: 70172378031	Collected: 04/28/21 13:51	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	35.7	ug/L	1.0	1		05/17/21 18:17	7439-92-1	

Sample: WE 37	Lab ID: 70172378032	Collected: 04/28/21 13:52	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	13.0	ug/L	1.0	1		05/17/21 18:20	7439-92-1	

Sample: WE 38	Lab ID: 70172378033	Collected: 04/28/21 13:53	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	7.2	ug/L	1.0	1		05/17/21 18:21	7439-92-1	

Sample: WE 39	Lab ID: 70172378034	Collected: 04/28/21 13:54	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.7	ug/L	1.0	1		05/17/21 18:22	7439-92-1	

Sample: WE 40	Lab ID: 70172378035	Collected: 04/28/21 13:55	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.2	ug/L	1.0	1		05/17/21 18:22	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WETTEL ELEMENTARY 4/28
Pace Project No.: 70172378

Sample: WE 41	Lab ID: 70172378036	Collected: 04/28/21 14:05	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.7	ug/L	1.0	1		05/17/21 18:23	7439-92-1	
Sample: WE 42	Lab ID: 70172378037	Collected: 04/28/21 14:06	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.4	ug/L	1.0	1		05/17/21 18:24	7439-92-1	
Sample: WE 43	Lab ID: 70172378038	Collected: 04/28/21 13:58	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.6	ug/L	1.0	1		05/17/21 18:27	7439-92-1	
Sample: WE 44	Lab ID: 70172378039	Collected: 04/28/21 13:59	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.7	ug/L	1.0	1		05/17/21 18:28	7439-92-1	
Sample: WE 45	Lab ID: 70172378040	Collected: 04/28/21 14:00	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.3	ug/L	1.0	1		05/17/21 18:29	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WETTEL ELEMENTARY 4/28

Pace Project No.: 70172378

Sample: WE 46	Lab ID: 70172378041	Collected: 04/28/21 14:01	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.5	ug/L	1.0	1		05/17/21 18:32	7439-92-1	M1
Sample: WE 47	Lab ID: 70172378042	Collected: 04/28/21 14:02	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/17/21 18:34	7439-92-1	
Sample: WE 48	Lab ID: 70172378043	Collected: 04/28/21 14:03	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	5.0	ug/L	1.0	1		05/17/21 18:35	7439-92-1	
Sample: WE 49 (BOTTLE FILTER)	Lab ID: 70172378044	Collected: 04/28/21 14:04	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/17/21 18:38	7439-92-1	
Sample: WE 51	Lab ID: 70172378045	Collected: 04/28/21 14:11	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.2	ug/L	1.0	1		05/17/21 18:39	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WETTEL ELEMENTARY 4/28
Pace Project No.: 70172378

Sample: WE 52		Lab ID: 70172378046	Collected: 04/28/21 14:12	Received: 05/10/21 11:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	18.0	ug/L	1.0	1		05/17/21 18:40	7439-92-1	
Sample: WE 53		Lab ID: 70172378047	Collected: 04/28/21 14:13	Received: 05/10/21 11:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	7.2	ug/L	1.0	1		05/17/21 18:41	7439-92-1	
Sample: WE 54		Lab ID: 70172378048	Collected: 04/28/21 14:07	Received: 05/10/21 11:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	3.9	ug/L	1.0	1		05/17/21 18:41	7439-92-1	
Sample: WE 55		Lab ID: 70172378049	Collected: 04/28/21 14:08	Received: 05/10/21 11:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	7.8	ug/L	1.0	1		05/17/21 18:42	7439-92-1	
Sample: WE 56		Lab ID: 70172378050	Collected: 04/28/21 14:09	Received: 05/10/21 11:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.1	ug/L	1.0	1		05/17/21 18:43	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WETTEL ELEMENTARY 4/28

Pace Project No.: 70172378

Sample: WE 58 RM 110	Lab ID: 70172378051	Collected: 04/28/21 13:11	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	58.1	ug/L	1.0	1		05/17/21 18:44	7439-92-1	M1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: WETTEL ELEMENTARY 4/28
Pace Project No.: 70172378

QC Batch:	209012	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70172378001, 70172378002, 70172378003, 70172378004, 70172378005, 70172378006, 70172378007, 70172378008, 70172378009, 70172378010, 70172378011, 70172378012, 70172378013, 70172378014, 70172378015, 70172378016, 70172378017, 70172378018, 70172378019, 70172378020

METHOD BLANK: 1042326 Matrix: Water
Associated Lab Samples: 70172378001, 70172378002, 70172378003, 70172378004, 70172378005, 70172378006, 70172378007, 70172378008, 70172378009, 70172378010, 70172378011, 70172378012, 70172378013, 70172378014, 70172378015, 70172378016, 70172378017, 70172378018, 70172378019, 70172378020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	05/17/21 17:34	

LABORATORY CONTROL SAMPLE: 1042327

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.7	99	85-115	

MATRIX SPIKE SAMPLE: 1042329

Parameter	Units	70172378001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.9	37.5	33.1	83	70-130	

MATRIX SPIKE SAMPLE: 1042331

Parameter	Units	70172378011 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	4.1	37.5	35.2	83	70-130	

SAMPLE DUPLICATE: 1042328

Parameter	Units	70172378001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.9	1.9	1	

SAMPLE DUPLICATE: 1042330

Parameter	Units	70172378011 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	4.1	4.2	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: WETTEL ELEMENTARY 4/28
Pace Project No.: 70172378

QC Batch:	209013	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70172378021, 70172378022, 70172378023, 70172378024, 70172378025, 70172378026, 70172378027, 70172378028, 70172378029, 70172378030, 70172378031, 70172378032, 70172378033, 70172378034, 70172378035, 70172378036, 70172378037, 70172378038, 70172378039, 70172378040

METHOD BLANK: 1042336 Matrix: Water
Associated Lab Samples: 70172378021, 70172378022, 70172378023, 70172378024, 70172378025, 70172378026, 70172378027, 70172378028, 70172378029, 70172378030, 70172378031, 70172378032, 70172378033, 70172378034, 70172378035, 70172378036, 70172378037, 70172378038, 70172378039, 70172378040

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	05/17/21 18:01	

LABORATORY CONTROL SAMPLE: 1042337

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.6	99	85-115	

MATRIX SPIKE SAMPLE: 1042339

Parameter	Units	70172378021 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	37.5	30.1	80	70-130	

MATRIX SPIKE SAMPLE: 1042341

Parameter	Units	70172378031 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	35.7	37.5	64.9	78	70-130	

SAMPLE DUPLICATE: 1042338

Parameter	Units	70172378021 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 1042340

Parameter	Units	70172378031 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	35.7	36.0	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: WETTEL ELEMENTARY 4/28
Pace Project No.: 70172378

QC Batch:	209015	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70172378041, 70172378042, 70172378043, 70172378044, 70172378045, 70172378046, 70172378047, 70172378048, 70172378049, 70172378050, 70172378051

METHOD BLANK: 1042347 Matrix: Water
Associated Lab Samples: 70172378041, 70172378042, 70172378043, 70172378044, 70172378045, 70172378046, 70172378047, 70172378048, 70172378049, 70172378050, 70172378051

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	05/17/21 18:30	

LABORATORY CONTROL SAMPLE: 1042348

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.7	99	85-115	

MATRIX SPIKE SAMPLE: 1042350

Parameter	Units	70172378041 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.5	25	31.0	118	70-130	M1

MATRIX SPIKE SAMPLE: 1042352

Parameter	Units	70172378051 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	58.1	25	87.2	116	70-130	M1

SAMPLE DUPLICATE: 1042349

Parameter	Units	70172378041 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.5	1.6	1	

SAMPLE DUPLICATE: 1042351

Parameter	Units	70172378051 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	58.1	59.2	2	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: WETTEL ELEMENTARY 4/28

Pace Project No.: 70172378

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: WETTEL ELEMENTARY 4/28
Pace Project No.: 70172378

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70172378001	WE 1	EPA 200.8	209012		
70172378002	WE 4	EPA 200.8	209012		
70172378003	WE 5	EPA 200.8	209012		
70172378004	WE 6	EPA 200.8	209012		
70172378005	WE 7	EPA 200.8	209012		
70172378006	WE 8	EPA 200.8	209012		
70172378007	WE 9	EPA 200.8	209012		
70172378008	WE 10	EPA 200.8	209012		
70172378009	WE 12	EPA 200.8	209012		
70172378010	WE 13	EPA 200.8	209012		
70172378011	WE 14	EPA 200.8	209012		
70172378012	WE 15	EPA 200.8	209012		
70172378013	WE 16	EPA 200.8	209012		
70172378014	WE 17	EPA 200.8	209012		
70172378015	WE 19	EPA 200.8	209012		
70172378016	WE 20 (BOTTLE FILTER)	EPA 200.8	209012		
70172378017	WE 22	EPA 200.8	209012		
70172378018	WE 23	EPA 200.8	209012		
70172378019	WE 24	EPA 200.8	209012		
70172378020	WE 25	EPA 200.8	209012		
70172378021	WE 26	EPA 200.8	209013		
70172378022	WE 27	EPA 200.8	209013		
70172378023	WE 28	EPA 200.8	209013		
70172378024	WE 29	EPA 200.8	209013		
70172378025	WE 30	EPA 200.8	209013		
70172378026	WE 31	EPA 200.8	209013		
70172378027	WE 32	EPA 200.8	209013		
70172378028	WE 33	EPA 200.8	209013		
70172378029	WE 34	EPA 200.8	209013		
70172378030	WE 35	EPA 200.8	209013		
70172378031	WE 36	EPA 200.8	209013		
70172378032	WE 37	EPA 200.8	209013		
70172378033	WE 38	EPA 200.8	209013		
70172378034	WE 39	EPA 200.8	209013		
70172378035	WE 40	EPA 200.8	209013		
70172378036	WE 41	EPA 200.8	209013		
70172378037	WE 42	EPA 200.8	209013		
70172378038	WE 43	EPA 200.8	209013		
70172378039	WE 44	EPA 200.8	209013		
70172378040	WE 45	EPA 200.8	209013		
70172378041	WE 46	EPA 200.8	209015		
70172378042	WE 47	EPA 200.8	209015		
70172378043	WE 48	EPA 200.8	209015		
70172378044	WE 49 (BOTTLE FILTER)	EPA 200.8	209015		
70172378045	WE 51	EPA 200.8	209015		
70172378046	WE 52	EPA 200.8	209015		
70172378047	WE 53	EPA 200.8	209015		
70172378048	WE 54	EPA 200.8	209015		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: WETTEL ELEMENTARY 4/28

Pace Project No.: 70172378

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70172378049	WE 55	EPA 200.8	209015		
70172378050	WE 56	EPA 200.8	209015		
70172378051	WE 58 RM 110	EPA 200.8	209015		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

WO#: 70172378



70172378

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

4360

Page: 1 of 5

Required Client Information:
 Company: Intertek-PSI VERA'S AERIALS
 Address: 104 Erie Blvd West VERA'S AERIALS
 Suite: 104 VERA'S AERIALS
 Email: william.kotas@intertek.com OKC
 Phone: 418-377-9897 OKC Fax:
 Requested Due Date:

Required Project Information:
 Report To: William Kotas VERA'S AERIALS
 Copy To: William Kotas
 Purchase Order #: WEL101 ELKenny
 Project Name: 03214360
 Project #:

Invoice Information:
 Attention: William Kotas VERA'S AERIALS
 Company Name: Intertek-PSI
 Address: 104 Erie Blvd West
 Pace Quote:
 Pace Project Manager:
 Pace Profile #:

Regulatory Agency
 State / Location
 NY

ITEM #	MATRIX	CODE	COLLECTED		SAMPLE TYPE (G=GRAB C=COMP)	MATRIX CODE (see valid codes to left)	# OF CONTAINERS	PRESERVATIVES	ANALYSES TEST	ACCEPTED BY / AFFILIATION	DATE	TIME	DATE	TIME	SAMPLE CONDITIONS
			START DATE	END DATE											
WEL	DW	DW	04/21	1321	DW G		Unpreserved	Pb by EPA 2008			5-7-21	1000	5/14/21	1140	
1	DW	WT	1333		DW G										
5	DW	WT	1305		DW G										
6	DW	WT	1306		DW G										
7	DW	WT	1307		DW G										
8	DW	WT	1308		DW G										
9	DW	WT	1309		DW G										
10	DW	WT	1310		DW G										
12	DW	WT	1312		DW G										
13	DW	WT	1313		DW G										
14	DW	WT	1314		DW G										
15	DW	WT	1315		DW G										

TEMP in C

Received on

Custody Sealed Cooler (Y/N)

Samples Intact (Y/N)

SAMPLER NAME AND SIGNATURE
 PRINT Name of SAMPLER: Chris Putzer
 SIGNATURE of SAMPLER: [Signature]
 DATE Signed:

3 boxes



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

4360

Page: 2 Of 5

Section A
Required Client Information:
 Company: Internek-PSI
 Address: 104 Erie Boulevard
 Suite 1, Schenectady, NY 12305
 Email: william.kotas@internek.com
 Phone: 518-377-9841
 Fax: _____
 Requested Due Date: _____

Section B
Required Project Information:
 Report To: William Kotas
 Copy To: William Kotas
 Purchase Order #: _____
 Project Name: _____
 Project #: _____

Section C
Invoice Information:
 Attention: William Kotas
 Company Name: Internek-PSI
 Address: 104 Erie Boulevard
 Pace Quote: _____
 Pace Project Manager: _____
 Pace Profile #: _____

Regulatory Agency: _____
 State / Location: NY

ITEM #	MATRIX	CODE	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives	Analyses Test	Y/N	Requested Analysis Filtered (Y/N)	Residual Chlorine (Y/N)
				START DATE TIME	END DATE TIME							
WE 16	DW	DW	G	0728	1316	1	Unpreserved	H2SO4 HNO3 HCl NaOH Na2SO3 Methanol Other	Pb by EPA 200.8	X		
17	DW	DW	G	1317		1	Unpreserved	H2SO4 HNO3 HCl NaOH Na2SO3 Methanol Other	Pb by EPA 200.8	X		
19	DW	DW	G	1319		1	Unpreserved	H2SO4 HNO3 HCl NaOH Na2SO3 Methanol Other	Pb by EPA 200.8	X		
20 (Bottle #1152)	DW	DW	G	1318		1	Unpreserved	H2SO4 HNO3 HCl NaOH Na2SO3 Methanol Other	Pb by EPA 200.8	X		
22	DW	DW	G	1327		1	Unpreserved	H2SO4 HNO3 HCl NaOH Na2SO3 Methanol Other	Pb by EPA 200.8	X		
23	DW	DW	G	1328		1	Unpreserved	H2SO4 HNO3 HCl NaOH Na2SO3 Methanol Other	Pb by EPA 200.8	X		
24	DW	DW	G	1329		1	Unpreserved	H2SO4 HNO3 HCl NaOH Na2SO3 Methanol Other	Pb by EPA 200.8	X		
25	DW	DW	G	1330		1	Unpreserved	H2SO4 HNO3 HCl NaOH Na2SO3 Methanol Other	Pb by EPA 200.8	X		
26	DW	DW	G	1332		1	Unpreserved	H2SO4 HNO3 HCl NaOH Na2SO3 Methanol Other	Pb by EPA 200.8	X		
27	DW	DW	G	1333		1	Unpreserved	H2SO4 HNO3 HCl NaOH Na2SO3 Methanol Other	Pb by EPA 200.8	X		
28	DW	DW	G	1335		1	Unpreserved	H2SO4 HNO3 HCl NaOH Na2SO3 Methanol Other	Pb by EPA 200.8	X		
29	DW	DW	G	1339		1	Unpreserved	H2SO4 HNO3 HCl NaOH Na2SO3 Methanol Other	Pb by EPA 200.8	X		

ADDITIONAL COMMENTS
 18 No work exists due to renovation

RELINQUISHED BY / AFFILIATION
 DATE: 5-10-21 TIME: 11-10
 SIGNATURE: [Signature]

ACCEPTED BY / AFFILIATION
 DATE: 5-7-21 TIME: 1000
 SIGNATURE: [Signature]

SAMPLE CONDITIONS
 Received on: _____
 Sealed: (Y/N) _____
 Custody: (Y/N) _____
 Cooler: (Y/N) _____
 In tact: (Y/N) _____

TEMP in C

SAMPLER NAME AND SIGNATURE
 PRINT Name of SAMPLER: Chris Putzer
 SIGNATURE of SAMPLER: [Signature]
 DATE Signed: _____



Sample Condition Upon Receipt

WO#: 70172378

Client Name: _____

Project: _____

PM: KMM

Due Date: 05/18/21

CLIENT: VSCSD

Courier: Fed Ex UPS USPS Client Commercial Pace Other

Tracking #: _____

Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes NoPacking Material: Bubble Wrap Bubble Bags Ziploc None Other

Thermometer Used: TH091

Correction Factor: +0.0

Cooler Temperature(°C): 20.3

Cooler Temperature Corrected(°C): 20.3

Temp should be above freezing to 6.0°C

USDA Regulated Soil (N/A, water sample)

Date and Initials of person examining contents: MS Stoler

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? Yes NoDid samples originate from a foreign source including Hawaii and Puerto Rico)? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (F-LI-C-010) and include with SCUR/COC paperwork.

		COMMENTS:
Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes date/time/ID, Matrix: SL (WT) OIL		
All containers needing preservation have been checked?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot # AC148594		Sample #
All containers needing preservation are found to be in compliance with method recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH>9 Sulfide, NAOH>12 Cyanide)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Initial when completed: _____ Lot # of added preservative: _____ Date/Time preservative added: _____
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water). Per Method, VOA pH is checked after analysis		
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14. Positive for Res. Chlorine? Y N
KI starch test strips Lot #		
Residual chlorine strips Lot #		
SM 4500 CN samples checked for sulfide?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Lead Acetate Strips Lot #		
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	17.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if applicable): _____		

Field Data Required? _____

Y / N

Client Notification/ Resolution: _____

Person Contacted: _____

Comments/ Resolution: _____